

inspire

YOUR HEALTH, YOUR LIFE

FINDING
THE ENERGY
YOU NEED

SODIUM
OVERLOAD

BENEFITS OF
Mental
EXERCISE

Want More?

Visit MesaViewHospital.com/signup
to sign up for our e-newsletter!



MESA VIEW
REGIONAL HOSPITAL

Workouts for Your *Brain*

You've heard the many health benefits of exercise routines and sports to keep your body active, but it's also important to keep the mind active. According to the National Center for Biotechnology Information, a 2011 study showed that some effects of age-related mental decline may be reversible through cognitive training programs. Try these activities to help keep your brain healthy and functioning well:

- **Learn a foreign language.** This stimulates the areas of the brain that process reading, speaking, listening and memory.
- **Socialize.** Talking with others exercises your ability to concentrate, quickly analyze what's being said and communicate well.
- **Solve puzzles.** Chess, Sudoku and crosswords improve logical reasoning and problem-solving skills.



E-cigarettes:

A GRAY AREA

Though e-cigarettes have been promoted as safer alternatives to tobacco cigarettes, they aren't risk-free.

Smokers sometimes use e-cigarettes to try to gradually quit smoking since they don't contain tar and other toxic chemicals found in tobacco cigarettes, but they still have nicotine. Nicotine is highly addictive and raises blood pressure and heart rate. Because e-cigarettes are relatively new, their overall side effects haven't been fully studied. In April 2014, the Food and Drug Administration announced plans to regulate e-cigarettes, ban sales to minors and require manufacturers to put health warnings on the devices, but such measures won't be implemented for several years.

Foregoing nicotine altogether is still the best way to prevent addiction and the health problems associated with the substance.

LESS MEAT = *Lower Blood Pressure?*

Researchers in Osaka, Japan, published findings in the journal *JAMA Internal Medicine* that indicate a vegetarian diet helps lower blood pressure. The specific reasons for vegetarians' better heart health haven't been fully defined, but several observations have been made.

The vegetarians in the study had lower body mass index numbers and fewer obesity risks than people who ate meat, and both of these

factors contribute to lower blood pressure. Interestingly, vegetarians with higher body weight still had low blood pressure.

Even going vegetarian part time has multiple benefits, including:

- fewer bad fats
- higher daily fiber intake
- more good fats



YOUR GUIDE TO HEART HEALTH

ACHIEVING HEART-HEALTHY MILESTONES AT EACH STAGE OF LIFE WILL HELP KEEP YOUR HEART FIT.

at Every Age

IN YOUR 30s

Develop heart-healthy habits, such as eating a nutritious diet and performing daily physical activity. At this age, most healthy adults need a blood pressure screening at least every two years. Men age 34 and older should also receive a cholesterol screening at least every five years. Investigate your family history for heart disease, and discuss your findings with your doctor to determine if more frequent screenings are appropriate.



DURING YOUR 40 AND 50s

Healthful lifestyle choices should remain a top priority, and you also need to understand heart attack and stroke warning signs. Biannual blood pressure screenings are often sufficient if you do not have high blood pressure, and your cholesterol levels should be checked at least every five years. Your doctor may advise more frequent blood pressure and cholesterol screenings if you have heart disease, high blood pressure or diabetes. According to the American Heart Association (AHA), you should also have a fasting blood glucose screening by your 45th birthday.



AGE 65 AND BEYOND

Continue to monitor risk factors you can control, including weight, diet and exercise, and follow your doctor's recommendations for wellness screenings. Generally, healthy adults in this age range need a yearly physical and blood pressure screening, as well as at least one cholesterol screening every three to five years.

Adults older than age 60 also need an ankle-brachial index test every one to two years to check for peripheral artery disease, according to the AHA.



Age-appropriate health screenings and an annual well visit may now be covered free of cost by many insurance plans. Check with your insurer for specifics about your plan.

THREE TIPS FOR A STRONGER HEART

The following steps help minimize the effects of several lesser-known heart disease risk factors.

- 1. Cut back at cocktail hour.** According to the National Heart, Lung and Blood Institute, consuming more than three alcoholic drinks each day can increase blood pressure and triglyceride levels. For heart health, moderate drinking — defined as two drinks per day for men and one drink for women — is key.
- 2. Spend time with friends.** According to a Cornell University study, loneliness can accelerate cardiovascular aging and increase heart disease risk. Take time to build and maintain friendships.
- 3. Sit less.** A 2012 study published in the *European Heart Journal* found that those who own both a car and television have a 27 percent higher risk for heart disease, presumably because they sit for longer periods of time. Commute short distances on foot and exercise while watching TV.



Finding ENERGY *Throughout Your Day*

TRY THESE TRICKS TO MAINTAIN ENERGY LEVELS THROUGHOUT THE DAY, AND **GIVE YOURSELF A BOOST** WHEN YOUR GET-UP-AND-GO HAS GONE.

RISE AND SHINE



Not getting enough quality sleep can start your day off on the wrong foot. One way to ensure you get sufficient shut-eye is to go to bed and wake up at around the same time every day, even on weekends. Establishing a regular sleep cycle helps you fall asleep faster and wake refreshed and ready to face the day.

When the alarm goes off, resist the urge to hit the snooze button. Though you may crave a few more winks, briefly falling back asleep can leave you feeling groggy for hours. Once your feet hit the floor, let plenty of light into the room, which signals your body that it is time to wake up.

EARLY MORNING EYE-OPENER

Even if you are not particularly hungry, eat a little something to get your metabolism going. Lean protein from foods such as yogurt, veggie or turkey sausage, eggs, or peanut butter provides more long-lasting energy than a carbohydrate-packed pastry. If you drink coffee, pace yourself. Drink a few small cups throughout the morning instead of one large cup all at once. As you head out for your daily activities, listen to some upbeat music to get in a high-energy mindset.

MIDMORNING PICK-ME-UP

Eating many small meals throughout the day helps keep energy levels steady, so snack away! Instead of foods filled with processed or hidden sugar, choose energy-enhancing goodies, such as almonds or walnuts, low-fat microwave popcorn, whole-grain crackers, yogurt with a sprinkle of granola on top, or fresh fruit.

If you have a desk job, you may already know that sitting for long periods of time can sap your vitality.

When your eyes start to glaze over, perk up with a few simple stretches — extend your legs and then lift and lower them while flexing your toes, or raise your arms over your head and gently lean back. If you are on your feet all day instead of sitting at a desk, try exercises that build abdominal strength to make standing less fatiguing.

Whether standing or sitting, watch your posture. Hunching your back, slouching your shoulders or leaning can make you tense, achy and tired all day long.



MID-AFTERNOON RECHARGE

Even if you ate a light lunch, you may feel your energy begin to ebb a few hours later. If this happens to you, try closing your eyes for a minute to take a mental mini-vacation. Imagine yourself in a restful scene, envisioning as many details as you can — the sights, scents, sounds and sensations. A break of even five minutes can help you feel refreshed and ready to focus.

Another tip? Try breathing deeply. It relieves tension and provides more energizing oxygen to your body's tissues. Count to four as you inhale through your nose, hold your breath and count to seven, then count to eight as you exhale through your mouth.

Avoid coffee or other caffeinated beverages after lunch — you may regret it later when you are still wide-awake in the wee hours. Instead, drink ice-cold water to give your spirits a lift.

FIVE O'CLOCK REFRESHER

After an exhausting day, you may feel too tired to work out. But rather than making you more tired, moderate aerobic exercise actually helps your body create more energy. To increase your motivation, schedule workouts with a buddy at least three times a week or take your exercise clothes with you to the office and walk, run or hit the gym before heading home.

PRIME TIME POWER-UP

You've exercised and enjoyed a healthy dinner, so now it's time to kick off your shoes and stretch out on the couch, right? Not so fast! Lying down after dinner tends to make you sleepy, and napping in the early evening could disrupt your normal sleep cycle. Instead, take a short, relaxing stroll. Research shows that walking right after dinner aids digestion and stabilizes blood sugar levels, which keeps energy levels consistent.

SWEET DREAMS

In the hour or two before bedtime, limit your use of electronic devices. Remember how light wakes you up in the morning? The bluish glow of your computer, tablet or phone screen has the same effect in the evening.

When it's bedtime, skip the nightcap. Alcohol may help you drop off and sleep soundly for a while, but the effect wears off after a few hours, making you more likely to spend the second half of the night tossing and turning. Even if you do not wake before morning, alcohol has been shown to reduce rapid eye movement (REM) sleep, the deepest and most refreshing sleep phase. Instead, unwind with a warm drink, such as milk, cocoa or herbal tea.

Tried these strategies and still dragging? Persistent fatigue may be a sign of a health condition such as a sleep disorder, a heart condition, anemia or depression — see your doctor.



Secret Stroke Risk Factors

WHAT DO PREGNANCY, HORMONE THERAPY AND SEVERE HEADACHES HAVE IN COMMON? THEY INCREASE WOMEN'S PROBABILITY FOR STROKE — AND THEY'RE NOT THE ONLY RISK FACTORS UNIQUE TO WOMEN.

DON'T JUST THINK F.A.S.T.

"F.A.S.T." is a great way to remember the key symptoms of stroke and quickly determine whether one is occurring. The acronym encourages scrutiny of a person's Face, Arms and Speech for any signs that are out of the ordinary, and it reminds that Time is of the essence in stroke diagnosis and treatment. But it doesn't call to mind all stroke symptoms, particularly less common ones that may affect women.

Women-specific stroke symptoms share one characteristic with classic signs — they occur without warning. According to the National Stroke Association, unique symptoms include:

- change in normal breathing rhythm
- chest pain or tightness
- hiccups
- nausea
- skipping or racing heartbeat
- weakness throughout the body

If you notice any of these signs, call 911, and then note the time. Medical personnel will need to know when you first noticed symptoms to determine the best treatment.

In many women's minds, stroke exists in the shadows when it should be under the spotlight. Despite having 55,000 more strokes each year than men — 425,000 to 370,000 — few women recognize the threat, according to the National Stroke Association. A 2012 survey published in *Stroke* found that many women are unfamiliar with the common symptoms of stroke.

Prevention begins with knowing stroke's risk factors. Men and women share several — diabetes, excess weight, family history of the condition, inactivity, high blood pressure, high cholesterol and smoking — but women must be mindful of factors distinct to them, including:


- history of migraines
- hormone replacement during menopause
- oral contraceptive use, particularly with high blood pressure
- physiological changes that may take place during pregnancy, such as preeclampsia (high blood pressure)

A WAY FORWARD

In February 2014, the American Heart Association/American Stroke Association released the first official guidelines for women's stroke prevention.

The organizations recommend primary care doctors test women for high blood pressure before prescribing birth control pills, work to lower patients' blood pressure before and during pregnancy if it's high, and consider preeclampsia a stroke risk factor after pregnancy. Also, those older than 75 should be screened for atrial fibrillation, a type of irregular heartbeat that may increase stroke risk.

Spread the word to the women you care about — stroke can't hide anymore.



Get serious about stroke prevention by asking your doctor about your risk factors.


Sodium OVERLOAD


DITCHING THE SALTSHAKER IS JUST THE FIRST STEP TOWARD A LOW-SODIUM DIET.




The American Heart Association (AHA) recommends only 1,500 milligrams — slightly more than one-half a teaspoon — of sodium per day. Most Americans consume more than double that amount. Keep an eye on the six most common sources of sneaky sodium identified by the AHA.

- **Bread.** Bread is the top source of sodium for Americans. Look for breads labeled “low-sodium” or “reduced-sodium” for healthier options.
- **Cold cuts.** One serving of deli meat can have up to half of your recommended daily amount of sodium. Try a lower-sodium variety of your favorite lunch meat, or switch to homemade chicken or tuna salad.
- **Pizza.** Stay away from pepperoni and sausage and add a few more veggies. Eliminating pizza altogether cuts out more than 700 milligrams of sodium per slice.
- **Poultry.** Naturally sodium-free, poultry can be loaded with preservatives that add sodium. Stick to healthy ways of cooking your bird while avoiding processed or fried chicken.
- **Soup.** One cup of canned soup packs as much as 940 milligrams of sodium. Look for low-sodium alternatives — or make your own soup!
- **Sandwiches.** A sandwich from your favorite fast-food place can have more than 100 percent of your recommended daily amount of sodium. Try bringing a sandwich from home or ordering a lighter choice from the menu.


HOW MUCH EACH DAY?

The body needs **200** milligrams of sodium.  The average person gets **3,400** milligrams of sodium.

The AHA recommends **1,500** milligrams of sodium.  ¾ teaspoon of salt = **1,500** milligrams of sodium.




Did You Know?



Kosher salt and **sea salt** CONTAIN THE SAME AMOUNT of sodium as table salt.



Most foods, including **milk** and **celery**, contain sodium.



Too much sodium intake is one risk factor of **high blood pressure**.



VOLUME 6 · ISSUE 2 | *Want More?* Visit MesaViewHospital.com/signup to sign up for our e-newsletter! | MesaViewHospital.com

This publication in no way seeks to serve as a substitute for professional medical care. Consult your doctor before undertaking any form of medical treatment or adopting any exercise program or dietary guidelines.

Local Heroes to Receive Local Care

Mesa View Regional Hospital recently announced that eligible local veterans now have access to specialty care and hospital services right here in Mesquite.

“Finally, our veterans will not have to make that round trip drive to Las Vegas for some important healthcare services,” says Patty Holden, CEO of Mesa View Regional Hospital. These services include X-rays, magnetic resonance imaging, computed tomography scans, laboratory services, colonoscopies, general surgery, mammograms and others.

“The Veterans Administration [VA] has a special program designed to provide the option of local care for certain veterans who live in rural areas,” Holden says. “The program is called Patient-Centered Community Care, or PC3. In conjunction with the VA, the program is managed by TriWest Healthcare Alliance in our region.”

The VA created the PC3 program in late 2013 to provide eligible veterans access to inpatient specialty care, outpatient specialty care and mental health care.

“This will expand our veterans’ access to care,” Holden says. “We are so pleased

and honored to be able to help our local veterans in any way possible, and this is a positive step forward in making their healthcare more timely and accessible.”

To determine eligibility for hospital-based services close to home, veterans can simply ask their VA primary care doctor if they can participate in the PC3 program. More information is also available at www.nonvacare.va.gov/pc3.

ABOUT MESA VIEW

Mesa View Regional Hospital is a 25-bed facility located in Mesquite, Nevada with a skilled professional staff that offers award-winning quality and patient-focused healthcare. Mesa View provides a full range of inpatient and outpatient hospital services, including medical, surgical, orthopedics, women’s health, laboratory, cardiopulmonary testing, imaging and emergency medicine services, as well as an intensive care unit. In 2012, Mesa View was named one of the nation’s Top Performers on Key Quality Measures® by The Joint Commission. For more information, visit MesaViewHospital.com.

